



HP Designjet Z3200ps 24-in Photo Printer large format printer Ethernet LAN



Brand : HP

Product family: Designjet

Product code: Q6720A

Product name : Designjet
Z3200ps 24-in Photo Printer

HP Designjet Z3200ps 24-in Photo Printer

HP Designjet Z3200ps 24-in Photo Printer. Page description languages: TIFF, Printing colours: Blue, Gloss enhancer, Green, Light Cyan, Light grey, Light magenta, Magenta, Matte black, Photo..., Print head: 6 (magenta and yellow, light magenta and light cyan, photo black and light gray, matte black and.... Media types supported: Photographic (satin, gloss, semi-gloss, matte), proofing (semi-gloss, high-gloss contract,..., Media thickness: > 0.8, Maximum roll length: 91.4 m. Ethernet interface type: Gigabit Ethernet, USB connector: USB Type-A. Internal memory: 256 MB, Internal storage capacity: 80 GB, Storage media: HDD. Power requirements: Input voltage (autoranging) 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz), 2 amps max, Power consumption (typical): 200 W

Printing		Weight & dimensions	
Print head nozzles	12672	Dimensions (WxDxH)	1262 x 690 x 1047 mm
Colour management	HP Color Center, HP Vivera pigment inks, HP embedded spectrophotometer	Weight	65 kg
Page description languages *	TIFF	Pallet dimensions (W x D x H)	1470 x 780 x 740 mm
Printing colours *	Blue, Gloss enhancer, Green, Light Cyan, Light grey, Light magenta, Magenta, Matte black, Photo black, Red, Yellow	Dimension note (imperial)	For US, CA, LAR, EMEA (49.7 x 26 x 15.4 inches for AP)
Print head	6 (magenta and yellow, light magenta and light cyan, photo black and light gray, matte black and red, gloss enhancer and gray, blue and green)	Dimension note (metric)	For US, CA, LAR, EMEA (1262 x 661 x 391 mm for AP)
Paper handling		Pallet dimensions (W x D x H) (imperial)	1468.1 x 779.8 x 739.1 mm (57.8 x 30.7 x 29.1")
Maximum print length	91 m	Product dimensions when open (LxWxD)	126.2 cm (49.7")
Maximum length of sheet media	1676.4 mm	Size (imperial)	126.2 cm (49.7")
Standard media sizes	All standard sizes larger than A4	Weight (imperial)	For US, CA, LAR, EMEA (103.6 lb for AP) 143 lb
Media types supported		Packaging data	
Media types supported		Package weight	102 kg
Custom media sizes		Package dimensions (WxDxH)	1470 x 780 x 740 mm
Media thickness	> 0.8	Package dimensions (W x D x H)	1468.1 x 779.8 x 739.1 mm (57.8 x 30.7 x 29.1")
Maximum roll length	91.4 m	Package weight (imperial)	102.1 kg (225 lbs)
Maximum roll diameter	13.6 cm	Bundled software	Printer drivers, HP Printer Utility including HP Color Center, HP Advanced Profiling Solution
Print margin cut-sheet	5 x 17 x 5 x 5	Other features	
Print margin roll	5 mm	Minimum system requirements for Macintosh	Mac OS X v10.4, v10.5: PowerPC G3 or Intel Core Processor; 256 MB RAM; 1 GB available hard disk space
Media weights by paper path	133 lb	Line accuracy	+/- 0.010 mm
Recommended media weight	500 g/m ²	Minimum line width	0.0558 mm
Maximum media width	610 mm	Compatible ink types, supplies	HP Vivera pigment inks
		Acoustic power emissions	6.5 B(A) (active/printing), 4.4 B(A) (standby)
		Print quality (colour, best quality)	2400 DPI
		Minimum system requirements	Microsoft Windows XP Home, XP Professional: Intel Pentium 4, 1 GHz, 512 MB RAM, 2 GB available hard disk space Mac OS X v10.4, v10.5: PowerPC G4, G5, or Intel Core Processor, 1 GB RAM, 2 GB available hard disk space
		Embedded web server	✓
		Print quality (black, best quality)	2400 x 1200 DPI
		Electromagnetic compatibility	Compliance for Class B products: EU (EMC Directive), USA (FCC rules), Canada (DoC), Australia (ACA), New Zealand (MoC), China (CCC), Japan (VCCI), Korea (MIC) and Taiwan (BSMI)
		Printer management	HP Web Jetadmin
		Safety	IEC 60950-1 compliant, EU LVD and EN 60950-1 compliant, certified by CSA for Canada and US, Argentina IRAM, Singapore PSB, Russia GOST, China CCIB, Taiwan BSMI
		Maximum media length (imperial)	66"

Paper handling		Other features	
Media handling	Sheet feed, roll feed, automatic cutter (cuts all media except canvas)	Print resolution (colour, normal quality)	1200 x 1200 DPI
Roll top margin	5 mm	Print quality (black, draft quality)	1200 DPI
Media sizes supported (imperial)	A, B, C, D	Print quality (black, normal quality)	1200 DPI
Media thickness (by paper path)	Up to 31.5 mil	Driver updates	Latest Windows printer drivers information available at http://country/us/en/support.html?pageDisplay=drivers and more information on all printer drivers available at http://country/us/en/support.html?pageDisplay=drivers
Non-printable area roll media (imperial)	0.2 x 0.2 x 0.2 x 0.2 in (full bleed available on glossy/satin roll media)		4 pl (l, lm, lg, pK, E, G), 6 pl (M, Y, mK, R, GN, B)
Recommended media weight (imperial)	133 lb		240 x 160 pixel greyscale graphical display with Asian fonts support, 4 direct-access buttons, 7 navigation buttons and 2 bicolour lights (Ready, Processing, Attention, Error)
Ports & interfaces		Control panel	Acoustic power emissions (standby)
Ethernet interface type	Gigabit Ethernet	JetDirect Compatible Products	44 dB
Ethernet LAN *	✓	Line width minimum	✓
USB port *	✓	Maximum print length (imperial)	0.0022 in
USB connector	USB Type-A	Media sizes standard (imperial rolls)	300 ft; Operating system and application dependent
USB 2.0 ports quantity	1	Non-printable area (imperial cut-sheet)	Letter to D-size sheets, 11 to 24-in rolls
RJ-45 ports quantity	1	Printing material waterfastness	0.2 x 0.67 x 0.2 x 0.2 in
Performance		Roll maximum input	Water-resistant on a range of HP creative and specialty papers
Internal memory	256 MB	Acoustic pressure emissions (standby)	1
Internal storage capacity	80 GB	Logistics data	
Storage media	HDD	Products per pallet	1 pc(s)
Built-in processor	Mobile Intel Centrino		
Processor frequency	600 MHz		
Certification	SWOP, ISO, GRACOL, 3DAP		
Power			
Power requirements	Input voltage (autoranging) 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz), 2 amps max		
Power consumption (typical)	200 W		
Operational conditions			
Recommended operating temperature range (T-T)	15 - 35 °C		
Operating temperature (T-T)	5 - 40 °C		
Operating relative humidity (H-H)	20 - 80%		
Storage temperature (T-T)	-25 - 55 °C		
Operating temperature (T-T)	59 - 95 °F		
Storage relative humidity (H-H)	0 - 95%		
Operating altitude (imperial)	9,842 ft		
System requirements			
Browser supported	Internet Explorer 5.0 and higher, Netscape 6.0.1 and higher, Safari for Mac OS 10.3 and higher, Mozilla 1.5 and higher		
Compatible operating systems	Microsoft Windows Vista (32/64-bit), XP Home, XP Professional, XP Professional x64, Server 2008 (32/64-bit), Windows Server 2003 (32/64 bit), Windows Terminal Services, Citrix MetaFrame, Mac OS X v 10.4, Mac OS X v 10.5		
Sustainability			
Sustainability certificates	ENERGY STAR		
Weight & dimensions			
Maximum dimensions (W x D x H)	1262 x 690 x 1047 mm		



0884962681794



884962681794



0884420138914



884420138914



0884420138891



884420138891



0884420138921



884420138921



0884420138877



884420138877



0884420138907



884420138907



0884420403395



884420403395



0884420138884



884420138884



0884420138839



884420138839



0884420138846



884420138846



0884420138853



884420138853



0884420138860



884420138860



0884420138938



884420138938

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.