



HP Designjet Z3200 24-in Photo Printer large format printer Ethernet LAN



Brand : HP

Product family: Designjet

Product code: Q6718A#BGR

Product name : Designjet
Z3200 24-in Photo Printer

Designjet Z3200 610mm 1200 x 1200, A1, 256 MB, 80 GB HD

HP Designjet Z3200 24-in Photo Printer large format printer Ethernet LAN:

Ideal for professional photographers, digital fine artists, print service providers, graphic designers, and pre-press professionals who want to create gallery-quality prints, portraits, limited editions, albums, art reproductions, large-format designs and proofs, easily, consistently and cost-effectively.

Printing		Weight & dimensions	
Print head nozzles	12672	Dimensions (WxDxH)	1262 x 690 x 1047 mm
Colour management	HP Color Center, HP Vivera pigment inks, HP embedded spectrophotometer	Weight	65 kg
Printing colours *	Blue, Gloss enhancer, Green, Light Cyan, Light grey, Light magenta, Magenta, Matte black, Photo black, Red, Yellow	Pallet dimensions (W x D x H)	1470 x 780 x 740 mm
Print head	6 (magenta and yellow, light magenta and light cyan, photo black and light gray, matte black and red, gloss enhancer and gray, blue and green)	Dimension note (imperial)	For US, CA, LAR, EMEA (49.7 x 26 x 15.4 inches for AP)
Paper handling		Dimension note (metric)	For US, CA, LAR, EMEA (1262 x 661 x 391 mm for AP)
		Pallet dimensions (W x D x H) (imperial)	1468.1 x 779.8 x 739.1 mm (57.8 x 30.7 x 29.1")
		Product dimensions when open (LxWxD)	126.2 cm (49.7")
		Size (imperial)	126.2 cm (49.7")
		Weight (imperial)	For US, CA, LAR, EMEA (103.6 lb for AP) 143 lb
		Packaging data	
		Package weight	102 kg
		Package dimensions (WxDxH)	1470 x 780 x 740 mm
		Package dimensions (W x D x H)	1468.1 x 779.8 x 739.1 mm (57.8 x 30.7 x 29.1")
		Package weight (imperial)	102.1 kg (225 lbs)
		Bundled software	Printer drivers, HP Printer Utility including HP Color Center
		Other features	
		Minimum system requirements for Macintosh	Mac OS X v10.4, v10.5: PowerPC G3 or Intel Core Processor; 256 MB RAM; 1 GB available hard disk space
		Line accuracy	+/- 0.010 mm
		Minimum line width	0.0558 mm
		Compatible ink types, supplies	HP Vivera pigment inks
		Acoustic power emissions	6.5 B(A) (active/printing), 4.4 B(A) (standby)
		Print quality (colour, best quality)	2400 DPI
		Minimum system requirements	Microsoft Windows XP Home, XP Professional: Intel Pentium 4, 1 GHz, 512 MB RAM, 2 GB available hard disk space
		Embedded web server	✓
		Print quality (black, best quality)	2400 x 1200 DPI
		Electromagnetic compatibility	Compliance for Class B products: EU (EMC Directive), USA (FCC rules), Canada (DoC), Australia (ACA), New Zealand (MoC), China (CCC), Japan (VCCI), Korea (MIC) and Taiwan (BSMI)
		Printer management	HP Web Jetadmin
		Safety	IEC 60950-1 compliant, EU LVD and EN 60950-1 compliant, certified by CSA for Canada and US, Argentina IRAM, Singapore PSB, Russia GOST, China CCIB, Taiwan BSMI
		Maximum media length (imperial)	66"
		Print resolution (colour, normal quality)	1200 x 1200 DPI
		Print quality (black, draft quality)	1200 DPI
Media types supported	Photographic (satin, gloss, semi-gloss, matte), proofing (semi-gloss, high-gloss contract, semi-gloss contract, matte), fine art printing material (smooth, textured, watercolour, satin, aquarella, litho-realistic, canvas), self-adhesive (indoor, vinyl, polypropylene), banner and sign (display film, indoor banner, scrim, polypropylene, Tyvek, outdoor, billboard, PVC-free), bond and coated (bond, coated, heavyweight coated, super heavyweight plus matte, coloured), technical (tracing, translucent bond, vellum), film (clear, matte, polyester), backlit, fabric/textile (flag, polyester, silk)		
Custom media sizes	216 x 279 to 610 x 1676 mm		
Media thickness	> 0.8		
Maximum roll length	91.4 m		
Maximum roll diameter	13.6 cm		
Print margin cut-sheet	5 x 17 x 5 x 5		
Print margin roll	5 mm		
Media weights by paper path	133 lb		
Recommended media weight	500 g/m ²		
Maximum media width	610 mm		

Paper handling		Other features	
Media handling	Sheet feed, roll feed, automatic cutter (cuts all media except canvas)	Print quality (black, normal quality)	1200 DPI
Roll top margin	5 mm	Driver updates	Latest Windows printer drivers information available at http:// and more information on all printer drivers available at http://country/us/en/support.html?pageDisplay=drivers
Media sizes supported (imperial)	A, B, C, D	Ink drop	4 pl (Ic, Im, Ig, pK, E, G), 6 pl (M, Y, mK, R, GN, B)
Media thickness (by paper path)	Up to 31.5 mil	Control panel	240 x 160 pixel greyscale graphical display with Asian fonts support, 4 direct-access buttons, 7 navigation buttons and 2 bicolour lights (Ready, Processing, Attention, Error)
Non-printable area roll media (imperial)	0.2 x 0.2 x 0.2 x 0.2 in (full bleed available on glossy/satin roll media)	Acoustic power emissions (standby)	44 dB
Recommended media weight (imperial)	133 lb	JetDirect Compatible Products	✓
Ports & interfaces		Line width minimum	0.0022 in
Ethernet interface type	Fast Ethernet	Maximum print length (imperial)	300 ft; Operating system and application dependent
Ethernet LAN *	✓	Media sizes standard (imperial rolls)	Letter to D-size sheets, 11 to 24-in rolls
USB port *	✓	Non-printable area (imperial cut-sheet)	0.2 x 0.67 x 0.2 x 0.2 in
USB connector	USB Type-A	Printing material waterfastness	Water-resistant on a range of HP creative and specialty papers
USB 2.0 ports quantity	1	Roll maximum input	1
RJ-45 ports quantity	1	Acoustic pressure emissions (standby)	29 dB(A)
Performance		Logistics data	
Internal memory	256 MB	Products per pallet	1 pc(s)
Internal storage capacity	80 GB		
Storage media	HDD		
Built-in processor	Mobile Intel Centrino		
Processor frequency	600 MHz		
Certification	SWOP, ISO, GRACOL, 3DAP		
Power			
Power requirements	Input voltage (autoranging) 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz), 2 A maximum		
Power consumption (typical)	200 W		
Operational conditions			
Recommended operating temperature range (T-T)	15 - 35 °C		
Operating temperature (T-T)	5 - 40 °C		
Operating relative humidity (H-H)	20 - 80%		
Storage temperature (T-T)	-25 - 55 °C		
Operating temperature (T-T)	59 - 95 °F		
Storage relative humidity (H-H)	0 - 95%		
Operating altitude (imperial)	9,842 ft		
System requirements			
Browser supported	Internet Explorer 5.0 and higher, Netscape 6.0.1 and higher, Safari for Mac OS 10.3 and higher, Mozilla 1.5 and higher		
Compatible operating systems	Microsoft Windows Vista (32/64-bit), XP Home, XP Professional, XP Professional x64, Server 2008 (32/64-bit), Windows Server 2003 (32/64 bit), Windows Terminal Services, Citrix MetaFrame, Mac OS X v 10.4, Mac OS X v 10.5		
Sustainability			
Sustainability certificates	ENERGY STAR		
Weight & dimensions			
Maximum dimensions (W x D x H)	1262 x 690 x 1047 mm		

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.