

Epson Premium Glossy Photo Paper Roll, 24" x 30,5 m, 170g/m²

Brand : Epson

Product code: C13S041390

Product name : Premium Glossy Photo Paper Roll, 24" x 30,5 m, 170g/m²

Premium Glossy Photo Paper Roll, 24" x 30,5 m, 170g/m²


Epson Premium Glossy Photo Paper Roll, 24" x 30,5 m, 170g/m²:

The texture of this thick (166 g/m²) 0.18 mm resin-coated photo paper comes very close to real photo paper. This medium is ideally suited for the creation of photographic reproductions and graphs, for which excellent quality pictures with a soft glossy surface are necessary. It may be used for laminations. Epson Premium Glossy Photo Paper Roll, 24" x 30,5 m, 170g/m². Finish type: Gloss, Media weight: 166 g/m², Product colour: White. Roll width: 61 cm, Roll length: 30.5 m. Quantity per pack: 1 pc(s), Package width: 120 mm, Package depth: 655 mm. Pallet width (UK): 100 cm, Pallet length (UK): 120 cm, Pallet height (UK): 75 cm. Country of origin: Japan

Features	
Product colour	White
Finish type *	Gloss
Media weight *	166 g/m²

Features	
	SureColor SC-T7200D SureColor SC-T7200 SureColor SC-T5405 SureColor SC-T5400M 240V SureColor SC-T5400 SureColor SC-T5200PS SureColor SC-T5200D-PS SureColor SC-T5200D SureColor SC-T5200 PS MFP SureColor SC-T5200 MFP HDD SureColor SC-T5200 SureColor SC-T5100N SureColor SC-T5100) SureColor SC-T3405N SureColor SC-T3405 SureColor SC-T3400N SureColor SC-T3400 SureColor SC-T3200N SureColor SC-T3200-PS SureColor SC-T3200 SureColor SC-T3100x 240V SureColor SC-T3100N SureColor SC-T3100 SureColor SC-T3000 SureColor SC-T2100 SureColor SC-P9500 Spectro SureColor SC-P9500 SureColor SC-P9000V SureColor SC-P9000 Violet Spectro SureColor SC-P9000 SureColor SC-P9000 STD Spectro SureColor SC-P9000 STD SureColor SC-P900 SureColor SC-P8000 SureColor SC-P8000 STD Spectro SureColor SC-P8000 STD SureColor SC-P800 SureColor SC-P7500 Spectro SureColor SC-P7500 SureColor SC-P7000V SureColor SC-P7000 Violet Spectro SureColor SC-P7000 Series SureColor SC-P7000 STD Spectro SureColor SC-P7000 STD SureColor SC-P6000 Series SureColor SC-P6000 STD Spectro SureColor SC-P6000 STD SureColor SC-P600 SureColor SC-P5000 Violet Spectro 240v SureColor SC-P5000 Violet Spectro SureColor SC-P5000 Violet 240V SureColor SC-P5000 Violet SureColor SC-P5000 STD Spectro 240v SureColor SC-P5000 STD Spectro SureColor SC-P5000 STD 240V SureColor SC-P5000 STD SureColor SC-P400 SureColor SC-P20000 SureColor SC-P10000 Epson SureColor SC-T7000 Epson SureColor SC-T5000 Epson SureColor SC-T3000 Epson Stylus Pro WT7900 Designer Edition Epson Stylus Pro WT7900 Epson Stylus Pro 9900 Spectro Proofer UV Epson Stylus Pro 9900 Spectro Proofer Epson Stylus Pro 9900 Epson Stylus Pro 9890 SpectroProofer Epson Stylus Pro 9890 Epson Stylus Pro 9880 Epson Stylus Pro 9700 Epson Stylus Pro 7900 Spectro Proofer UV Epson Stylus Pro 7900 Spectro Proofer Epson Stylus Pro 7900 Epson Stylus Pro 7890 SpectroProofer Epson Stylus Pro 7880 Epson Stylus Pro 7700 Epson Stylus Pro 4900 SpectroProofer Epson Stylus Pro 4900 Spectro Proofer Designer Edition Epson Stylus Pro 4900 Spectro M1 Epson Stylus Pro 4900 Designer Edition Epson Stylus Pro 4900 Epson Stylus Pro 4880 Epson Stylus Pro 4800 Epson Stylus Pro 3800 Epson Stylus Pro 11880 Epson Stylus Photo R800 Epson Stylus Photo R3000 Epson Stylus Photo R2880 Epson Stylus Photo R2880 + X-Rite i1 Display Epson Stylus Photo R2880 Epson Stylus Photo R2400 Epson Stylus Photo R2000 Epson Stylus Photo R1900 Epson Stylus Photo R1800 Epson Stylus Photo 1290
Compatible products	

Weight & dimensions	
Roll width	61 cm
Roll length	30.5 m
Packaging data	
Quantity per pack	1 pc(s)
Package width	120 mm
Package depth	655 mm
Package height	125 mm
Package weight	3.85 kg
Package type	Box
Logistics data	
Harmonized System (HS) code	37032000
Pallet width (UK)	100 cm
Pallet length (UK)	120 cm
Pallet height (UK)	75 cm
Pallet gross width	80 cm
Pallet gross length	120 cm
Pallet gross height	75 cm
Products per pallet	70 pc(s)
Products per pallet (UK)	84 pc(s)
Products per pallet layer	10 pc(s)
Products per pallet layer (UK)	12 pc(s)
Master (outer) case width	125 mm
Master (outer) case length	660 mm
Master (outer) case height	125 mm
Products per master (outer) case	1 pc(s)
Other features	
Country of origin	Japan



0010343831766

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 23-JUN-2026. Prints or copies of Information are only valid on the printed Publication date