



## HP Designjet 4000ps Printer large format printer Colour 2400 x 1200 DPI 1067 x 1897 mm Ethernet LAN

**Brand :** HP

**Product family:** Designjet

**Product code:** Q1274A

**Product name :** Designjet 4000ps Printer

42", 4.9 min/page, Thermal Inkjet, 2400 x 1200 DPI, 256MB, Fast Ethernet, IEEE-1394a, 253.5 lb, Black  
HP Designjet 4000ps Printer. Maximum resolution: 2400 x 1200 DPI, Page description languages: HP-GL/2, HP-RTL, PDF 1.5, TIFF, Printing colours: Black, Cyan, Magenta, Yellow. Maximum print size: 1067 x 1897 mm, Paper tray media types: Bond paper, Coated paper, Glossy paper, Plain paper, ISO A-series sizes (A0...A9): A0, A1, A2, A3. Ethernet interface type: Fast Ethernet, USB connector: USB Type-A, Ethernet LAN data rates: 10/100Base-T. Internal memory: 256 MB, Internal storage capacity: 40 GB, Storage media: HDD. Power supply type: AC, Power requirements: 100-240V



| Printing                     |                                                     | Ports & interfaces                |                                                                                           |
|------------------------------|-----------------------------------------------------|-----------------------------------|-------------------------------------------------------------------------------------------|
| Print head nozzles           | 524                                                 | Firewire (IEEE 1394) ports        | 1                                                                                         |
| Colour *                     | ✓                                                   | Performance                       |                                                                                           |
| Maximum resolution *         | 2400 x 1200 DPI                                     | Internal memory                   | 256 MB                                                                                    |
| Number of print cartridges * | 4                                                   | Internal storage capacity         | 40 GB                                                                                     |
| Page description languages * | HP-GL/2, HP-RTL, PDF 1.5, TIFF                      | Storage media                     | HDD                                                                                       |
| Printing colours *           | Black, Cyan, Magenta, Yellow                        | Built-in processor                | Intel® Celeron®                                                                           |
| Print speed (normal quality) | 25 pps                                              | Processor frequency               | 2000 MHz                                                                                  |
| Paper handling               |                                                     | Power                             |                                                                                           |
| Maximum print size *         | 1067 x 1897 mm                                      | Power supply type                 | AC                                                                                        |
| Paper tray media types *     | Bond paper, Coated paper, Glossy paper, Plain paper | Power requirements                | 100-240V                                                                                  |
| ISO A-series sizes (A0...A9) | A0, A1, A2, A3                                      | Operational conditions            |                                                                                           |
| Cut sheets *                 | ✓                                                   | Operating relative humidity (H-H) | 20 - 80%                                                                                  |
| Media thickness              | 0.046 - 0.45 mm                                     | System requirements               |                                                                                           |
| Maximum roll length          | 90 m                                                | Mac compatibility                 | ✓                                                                                         |
| Media weights by paper path  | 0.11lb - 0.77lb                                     | Compatible operating systems      | Windows NT 4.0 Workstation/NT 4.0 Server/ME/98/2000/XP/2003 Mac OS 9.1/9.2/10.1/10.2/10.3 |
| Maximum media width          | 1067mm                                              | Weight & dimensions               |                                                                                           |
| Media thickness (imperial)   | 0.0018 - 0.0175"                                    | Dimensions (WxDxH)                | 1930 x 800 x 1350 mm                                                                      |
| Roll paper                   | ✓                                                   | Weight                            | 115 kg                                                                                    |
| Ports & interfaces           |                                                     | Packaging data                    |                                                                                           |
| Ethernet interface type      | Fast Ethernet                                       | Package weight                    | 175.9 kg                                                                                  |
| Ethernet LAN *               | ✓                                                   | Other features                    |                                                                                           |
| USB port *                   | ✓                                                   | Line accuracy                     | +/- 0.1%                                                                                  |
| USB connector                | USB Type-A                                          | Minimum line width                | 0.762 mm                                                                                  |
| USB 2.0 ports quantity       | 1                                                   | Compliance industry standards     | IEEE 802.3, 802.3u                                                                        |
| Ethernet LAN data rates      | 10/100Base-T                                        |                                   |                                                                                           |



0829160581613



829160581613



0829160581682



829160581682



0829160581651



829160581651



0829160581552




829160581552



0829160581576



829160581576



0829160581644



829160581644



0829160581637



829160581637



0829160581620



829160581620



0829160581606



829160581606



0829160581545




829160581545



0829160581538



829160581538



0829160581521



829160581521



0829160581514



829160581514



0829160581491



829160581491



0829160581590



829160581590



0829160581729




829160581729



0829160581712



829160581712



0829160581705



829160581705



0829160581699



829160581699



0884420636106



884420636106



0829160581507



829160581507



0829160581583




829160581583



0829160581569



829160581569



0829160581675



829160581675



0829160581668



829160581668

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.