



## HP Designjet Q6652A large format printer Colour 2400 x 1200 DPI Ethernet LAN

**Brand :** HP

**Product family:** Designjet

**Product code:** Q6652A

**Product name :** Q6652A

Designjet Z6100, 60-in, 256 MB, USB 2.0

HP Designjet Q6652A large format printer Colour 2400 x 1200 DPI Ethernet LAN:

HP's large Format printers deliver exceptional quality - superior color consistency that's fade resistant. These products are reliable, designed for ease-of-use and requiring minimal intervention during operation.

HP Designjet Q6652A. Maximum resolution: 2400 x 1200 DPI, Printing colours: Cyan, Light Cyan, Light magenta, Magenta, Matte black, Photo black, Yellow, Print speed (normal quality): 252 sqft /hr. Maximum roll length: 575 ft, Supported media weight (imperial): 51.7 kg (114 lbs). Internal memory: 256 MB, Internal storage capacity: 40 GB, Storage media: HDD. Power consumption (off): 0.4 W. Compatible operating systems: Windows 2000; Windows XP Home; Windows XP Professional; Windows Server 2003; Windows Vista(TM);...



| Printing                                      |                                                                            | System requirements                      |                                                                                                                                                 |
|-----------------------------------------------|----------------------------------------------------------------------------|------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| Print head nozzles                            | 2112                                                                       | Compatible operating systems             | Windows 2000; Windows XP Home; Windows XP Professional; Windows Server 2003; Windows Vista(TM); Mac OS X v 10.2.8; Mac OS 10.3; Mac OS X v 10.4 |
| Colour *                                      | ✓                                                                          |                                          |                                                                                                                                                 |
| Maximum resolution *                          | 2400 x 1200 DPI                                                            |                                          |                                                                                                                                                 |
| Number of print cartridges *                  | 8                                                                          |                                          |                                                                                                                                                 |
| Printing colours *                            | Cyan, Light Cyan, Light magenta, Magenta, Matte black, Photo black, Yellow | Sustainability                           |                                                                                                                                                 |
| Print speed (normal quality)                  | 252 sqft /hr                                                               | Sustainability certificates              | ENERGY STAR                                                                                                                                     |
| Paper handling                                |                                                                            | Weight & dimensions                      |                                                                                                                                                 |
| Maximum roll length                           | 575 ft                                                                     | Dimensions (WxDxH)                       | 2450 x 700 x 1350 mm                                                                                                                            |
| Supported media weight (imperial)             | 51.7 kg (114 lbs)                                                          | Weight                                   | 119 kg                                                                                                                                          |
| Roll paper                                    | ✓                                                                          | Pallet dimensions (W x D x H)            | 2690 x 750 x 1361 mm                                                                                                                            |
| Ports & interfaces                            |                                                                            | Pallet dimensions (W x D x H) (imperial) | 2689.9 x 749.3 x 1361.4 mm (105.9 x 29.5 x 53.6")                                                                                               |
| Ethernet LAN *                                | ✓                                                                          | Size (imperial)                          | 152.4 cm (60")                                                                                                                                  |
| USB port *                                    | ✗                                                                          | Packaging data                           |                                                                                                                                                 |
| RJ-45 ports quantity                          | 1                                                                          | Package dimensions (WxDxH)               | 2725 x 750 x 1361 mm                                                                                                                            |
| Performance                                   |                                                                            | Package dimensions (W x D x H)           | 2689.9 x 749.3 x 1361.4 mm (105.9 x 29.5 x 53.6")                                                                                               |
| Memory upgrade                                | 0.512 GB                                                                   | Other features                           |                                                                                                                                                 |
| Internal memory                               | 256 MB                                                                     | Line accuracy                            | +/- 0.1%                                                                                                                                        |
| Internal storage capacity                     | 40 GB                                                                      | Minimum line width                       | 0.07 mm                                                                                                                                         |
| Storage media                                 | HDD                                                                        | Acoustic pressure emissions              | 51 dB                                                                                                                                           |
| Built-in processor                            | Intel® Celeron®                                                            | Embedded web server                      | ✓                                                                                                                                               |
| Processor frequency                           | 2000 MHz                                                                   | Ink drop                                 | 4 pl (lc, lm, lg, pK), 6 pl (C, M, Y, mK)                                                                                                       |
| Power                                         |                                                                            | Glossy paper                             | ✓                                                                                                                                               |
| Power consumption (off)                       | 0.4 W                                                                      | Coated paper                             | ✓                                                                                                                                               |
| Operational conditions                        |                                                                            | Photo paper                              | ✓                                                                                                                                               |
| Recommended operating temperature range (T-T) | 18 - 25 °C                                                                 | Proofing paper                           | ✓                                                                                                                                               |
| Operating temperature (T-T)                   | 5 - 40 °C                                                                  | All-In-One-multitasking                  | ✗                                                                                                                                               |
| Storage temperature (T-T)                     | -25 - 55 °C                                                                | Functions                                | Print                                                                                                                                           |
| Operating temperature (T-T)                   | 64 - 77 °F                                                                 | JetDirect Compatible Products            | ✓                                                                                                                                               |
|                                               |                                                                            | Roll maximum input                       | 1                                                                                                                                               |
|                                               |                                                                            | Send to email capability                 | ✓                                                                                                                                               |
|                                               |                                                                            | Optional connectivity                    | USB 2.0                                                                                                                                         |

**Logistics data**

|                     |         |
|---------------------|---------|
| Products per pallet | 1 pc(s) |
| Pallet gross weight | 276 kg  |



0884962486863



884962486863



0882780989795



882780989795



0882780989931



882780989931



0882780989887



882780989887



0882780989856



882780989856



0882780989900



882780989900



8827809898490



0882780989849



882780989849



0882780989832



882780989832



0882780989955



882780989955



0882780989863



882780989863



0884962771334



884962771334



0882780989870



882780989870



0882780989894



882780989894



0882780989917



882780989917



0882780989924



882780989924



0884962486870



884962486870



0882780989948



882780989948



0882780989962



882780989962



0882780989979



882780989979



0882780989986



882780989986



0882780989801



882780989801



0882780989818



882780989818



0882780989825



882780989825



0883585754205



883585754205

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.