

Epson SureLab SL-D800 OC-LE

Brand : Epson

Product code: C11CH75301CL

Product name : SureLab SL-D800 OC-LE

SureLab SL-D800 OC-LE

[Epson SureLab SL-D800 OC-LE:](#)

Flexibility

The SL-D800 has been developed with media flexibility in mind; in order to improve users' scope of business. The supported print lengths range from 50-1000mm, on roll media widths of 89mm, 102mm, 127mm, 152mm, 203mm and 210mm. It also supports glossy, lustre and paper-based matte media.

Impressive speed

It has a production speed of 360 pph (15x10cm) at standard quality with a wide colour gamut, deep blacks and the smooth gradation of a 6-colour printer with the superior gloss level of a dye-based printer.

Durability

The SL-D800 has been built to last and ensures that users keep working efficiently for years to come¹. It benefits from a rigid, sturdy print tray, improved spindle design and an intuitive paper change.

Complete solution

As well as the printer, Epson offers inks, papers and software; all tested to work perfectly together.



Printing		Performance	
Print speed	430 pph - 15 x 10 cm (6 x 4 ")	Sound pressure level (standby)	43 dB
Print technology *	Inkjet	Sound pressure level (printing)	55 dB
Colour *	✓	Country of origin	China
Maximum resolution *	1400 x 720 DPI	Power	
Number of print cartridges *	6	Power consumption (typical)	120 W
Printing colours *	Black, Cyan, Light Cyan, Light magenta, Magenta, Yellow	Power consumption (sleep)	6 W
Borderless printing	✓	AC input voltage	100-240 V
Mean cycles between failures (MCBF)	200000	AC input frequency	50 - 60 Hz
Print speed (best quality)	180 pph - 15 x 10 cm (6 x 4 ")	Operational conditions	
Print speed (normal quality)	360 pph - 15 x 10 cm (6 x 4 ")	Operating temperature (T-T)	10 - 35 °C
Print cartridge volume (metric)	200 ml	Operating relative humidity (H-H)	20 - 80%
Copying		Storage temperature (T-T)	-20 - 40 °C
Copying *	✗	Storage relative humidity (H-H)	5 - 85%
Scanning		System requirements	
Scanning *	✗	Windows operating systems supported	Windows 10, Windows 10 x64, Windows 7, Windows 7 x64, Windows 8, Windows 8 x64, Windows 8.1, Windows 8.1 x64
Paper handling		Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Maximum print size *	2100 x 1000 mm	Weight & dimensions	
Paper tray media types *	Glossy paper, Semi-glossy paper, Matte paper	Width	460 mm
ISO A-series sizes (A0...A9)	A4	Depth	430 mm
Cut sheets *	✓	Height	354 mm
Maximum roll length	66 m	Weight	23 kg
Maximum roll width	20.3 cm		
Maximum roll diameter	17 cm		
Roll weight (rear roll)	4 kg		
Roll core diameter (rear roll)	7.6 cm		
Maximum media width	210 mm		

Paper handling		Packaging data	
Roll widths supported	102 mm (4 inch), 127 mm (5 inch), 152 mm (6 inch), 203 mm (8 inch), 89mm (3.5inch)	Package width	600 mm
Photo paper sizes	8.9x5,21x100 cm	Package depth	675 mm
Roll paper	✓	Package height	1000 mm
Ports & interfaces		Package weight	27.8 kg
		Bundled software	Printer Driver
		Other features	
Wi-Fi *	✗	Ink drop	2.5
Ethernet LAN *	✗	Other hardware	Control LED for roll paper and ink
USB port *	✓	Logistics data	
USB connector	USB Type-A	Products per pallet	2 pc(s)
USB 2.0 ports quantity	1	Pallet gross weight	0 g
Performance		Quantity per pack	1 pc(s)
Product colour *	Black, White	Products per pallet layer	2 pc(s)
Built-in display *	✓	Products per pallet layer (UK)	2 pc(s)
Display	LED	Products per pallet (UK)	2 pc(s)
		Pallet weight (UK)	0 g



8715946673479

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.