



## Canon imagePROGRAF GP-2000 large format printer Wi-Fi Thermal inkjet Colour 2400 x 1200 DPI A1 (594 x 841 mm) Ethernet LAN

**Brand :** Canon

**Product family:**  
imagePROGRAF

**Product code:** 5255C003

**Product name :** GP-2000

11 Colour 24", 2400 x 1200 dpi, 18432 nozzles, A1, 3GB RAM, 500GB ROM, 102 kg  
Canon imagePROGRAF GP-2000. Print technology: Thermal inkjet, Maximum resolution: 2400 x 1200 DPI, Page description languages: JPEG, PDF. Maximum print size: A1 (594 x 841 mm), Paper tray media types: Cut sheet, Glossy paper, Heavy paper, Plain paper, Roll, ISO A-series sizes (A0...A9): A1, A2, A3, A3+. USB connector: USB Type-A / USB Type-B, Ethernet LAN data rates: 10,100,1000 Mbit/s. Product colour: Black, Control type: Buttons, Internal memory: 3000 MB. Power consumption (standby): 2 W, Power consumption (typical): 84 W, Power consumption (off): 0.3 W



| Printing                        |                                                         | Performance                         |                                                                                                                                                                                                                                                                                                                             |
|---------------------------------|---------------------------------------------------------|-------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Print technology *              | Thermal inkjet                                          | Sound pressure level (standby)      | 35 dB                                                                                                                                                                                                                                                                                                                       |
| Colour *                        | ✓                                                       | Sound pressure level (printing)     | 48 dB                                                                                                                                                                                                                                                                                                                       |
| Maximum resolution *            | 2400 x 1200 DPI                                         | Certification                       | TUV, CB                                                                                                                                                                                                                                                                                                                     |
| Number of print cartridges *    | 6                                                       | Power                               |                                                                                                                                                                                                                                                                                                                             |
| Page description languages *    | JPEG, PDF                                               | Power consumption (standby)         | 2 W                                                                                                                                                                                                                                                                                                                         |
| Printing colours *              | Black, Cyan, Magenta, Matte black, Yellow               | Power consumption (typical)         | 84 W                                                                                                                                                                                                                                                                                                                        |
| Borderless printing             | ✓                                                       | Power consumption (off)             | 0.3 W                                                                                                                                                                                                                                                                                                                       |
| Print head                      | PF-10                                                   | AC input voltage                    | 100 - 240 V                                                                                                                                                                                                                                                                                                                 |
| Copying                         |                                                         | AC input frequency                  | 50 - 60 Hz                                                                                                                                                                                                                                                                                                                  |
| Copying *                       | ✗                                                       | Operational conditions              |                                                                                                                                                                                                                                                                                                                             |
| Scanning                        |                                                         | Operating temperature (T-T)         | 15 - 30 °C                                                                                                                                                                                                                                                                                                                  |
| Scanning *                      | ✗                                                       | Operating relative humidity (H-H)   | 10 - 80%                                                                                                                                                                                                                                                                                                                    |
| Paper handling                  |                                                         | System requirements                 |                                                                                                                                                                                                                                                                                                                             |
| Maximum print size *            | A1 (594 x 841 mm)                                       | Windows operating systems supported | Windows 10, Windows 7, Windows 8, Windows 8.1                                                                                                                                                                                                                                                                               |
| Paper tray media types *        | Cut sheet, Glossy paper, Heavy paper, Plain paper, Roll | Mac operating systems supported     | Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur |
| ISO A-series sizes (A0...A9)    | A1, A2, A3, A3+                                         |                                     |                                                                                                                                                                                                                                                                                                                             |
| Borderless printing media sizes | A1                                                      |                                     |                                                                                                                                                                                                                                                                                                                             |
| Cut sheets *                    | ✓                                                       |                                     |                                                                                                                                                                                                                                                                                                                             |
| Media thickness                 | 0.8 mm                                                  |                                     |                                                                                                                                                                                                                                                                                                                             |
| Maximum roll length             | 18 m                                                    | Sustainability                      |                                                                                                                                                                                                                                                                                                                             |
| Maximum roll width              | 61 cm                                                   | Sustainability compliance           | ✓                                                                                                                                                                                                                                                                                                                           |
| Maximum roll diameter           | 17 cm                                                   | Weight & dimensions                 |                                                                                                                                                                                                                                                                                                                             |
| Ports & interfaces              |                                                         | Width                               | 1100 mm                                                                                                                                                                                                                                                                                                                     |
| Wi-Fi *                         | ✓                                                       |                                     |                                                                                                                                                                                                                                                                                                                             |
| Ethernet LAN *                  | ✓                                                       |                                     |                                                                                                                                                                                                                                                                                                                             |

| Ports & interfaces        |                         | Weight & dimensions         |          |
|---------------------------|-------------------------|-----------------------------|----------|
| USB port *                | ✓                       | Depth                       | 766 mm   |
| USB connector             | USB Type-A / USB Type-B | Height                      | 1168 mm  |
| Ethernet LAN data rates   | 10,100,1000 Mbit/s      | Weight                      | 102 kg   |
| Performance               |                         | Packaging data              |          |
| Product colour *          | Black                   | Package width               | 1324 mm  |
| Built-in display *        | ✓                       | Package depth               | 902 mm   |
| Control type              | Buttons                 | Package height              | 1042 mm  |
| Internal memory           | 3000 MB                 | Package weight              | 125 kg   |
| Internal storage capacity | 500 GB                  | Logistics data              |          |
|                           |                         | Harmonized System (HS) code | 84433210 |
| Technical details         |                         |                             |          |
|                           |                         | Compliance certificates     | CE       |



4549292188073

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.