



HP Designjet T1100ps 610 mm Printer large format printer Ethernet LAN

Brand : HP

Product family: Designjet

Product code: Q6684A

Product name : Designjet
T1100ps 610 mm Printer

HP Designjet T1100ps 24-in Printer

[HP Designjet T1100ps 610 mm Printer large format printer Ethernet LAN:](#)

Designed to increase your productivity, the HP Designjet T1100 Printer series enables easy, efficient workteam printing for all your CAD and GIS projects. Using HP Viverna inks, the Three-black ink set enhances detail and produces images with even subtle contrasts from vivid colour to soft tones, plus true neutral grey. Fast print and processing speeds; networking, manageability features and full compatibility enable time savings and printing dependability on your CAD and GIS projects.

Features



Printing		Sustainability	
Print head nozzles	1056	Sustainability certificates	ENERGY STAR
Colour management	HP Color Center, HP Viverna inks, Closed-loop color system	Weight & dimensions	
Page description languages *	TIFF	Maximum dimensions (W x D x H)	1262 x 732 x 1047 mm
Printing colours *	Cyan, Magenta, Matte black, Photo black, Yellow	Dimensions (WxDxH)	1262 x 661 x 391 mm
Print head	3 (matte black and yellow, magenta and cyan, photo black and gray)	Weight	47 kg
Print speed (colour image, best quality, glossy paper)	2.4 m2/hr 26 ft2/hr	Pallet dimensions (W x D x H)	1470 x 780 x 740 mm
Print speed (colour image, draft quality, coated paper)	34 m2/hr 364 ft2/hr	Dimension note (imperial)	49.7 x 26 x 41.2 in with stand for NA, LAR
Print speed (colour image, normal quality, coated paper)	93 ft2/hr 8.6 m2/hr	Dimension note (metric)	1262 x 661 x 1047 mm with stand for NA, LAR
Print speed (colour image, normal quality, glossy paper)	61 ft2/hr 5.6 m2/hr	Pallet dimensions (W x D x H) (imperial)	1470.7 x 779.8 x 739.1 mm (57.9 x 30.7 x 29.1")
Print speed (imperial)	70 D prints per hour	Product dimensions when open (LxWxD)	126.2 cm (49.7")
Print speed colour line drawing (draft, A1 plain paper)	52 A1 prints per hour	Size (imperial)	126.2 cm (49.7")
Print time black and white line drawing (draft, metric A1 plain paper)	35 sec/page	Weight (imperial)	64.9 kg (143 lbs)
Print time colour line drawing (draft, A1)	35 sec/page	Packaging data	
Input & output capacity		Package weight	88.5 kg
Total number of input trays	1	Package dimensions (WxDxH)	1470 x 780 x 740 mm
Total input capacity	1 sheets	Package dimensions (W x D x H)	1470.7 x 779.8 x 739.1 mm (57.9 x 30.7 x 29.1")
Paper handling		Package weight (imperial)	101.6 kg (224 lbs)
Paper handling	Roll feed, sheet feed	Bundled software	
Maximum print length	91 m		
Maximum length of sheet media	1676.4 mm		

Paper handling		Other features	
Standard media sizes	A4, A3, A2, A1	Minimum system requirements for Macintosh	Mac OS X v10.2, Mac OS X v10.3, Mac OS X v10.4 or higher; PowerPC G3 or Intel Core Processor; 256 MB RAM; 1 GB available hard disk space
Media types supported	Bond and coated paper (bond, coated, heavyweight coated, super heavyweight coated), photographic paper (satin, gloss, semi-gloss, matte), technical paper (natural tracing, translucent bond, vellum), film (transparent, matte), self-adhesive and vinyl (polypropylene, vinyl)	Typefaces	Roman configuration: 139 fonts; Kanji configuration: 243 fonts
Media thickness	> 0.8	Line accuracy	+/- 0.1%
Maximum roll length	91.4 m	Minimum line width	0.0423 mm
Maximum roll diameter	13.6 cm	Compatible ink types, supplies	HP Vivera inks
Print margin cut-sheet	5 x 16.75 x 5 x 5	Acoustic power emissions	6.9 B(A)
Print margin roll	5 mm	Acoustic pressure emissions	57 dB
Maximum media width	610 mm	Minimum system requirements	Windows 2000: Intel Pentium III (733 MHz), 256 MB RAM, 2 GB available hard disk space; Windows XP Home, Windows XP Professional: Intel Pentium IV (1 GHz), 512 MB RAM, 2 GB available hard disk space
Roll top margin	5 mm		Windows 2000: Intel Pentium III (733 MHz), 512 MB RAM, 2 GB available hard disk space
Media weights by paper path	60 to 328 g/m ²		Windows XP Home, Windows XP Professional: Intel Pentium IV (1 GHz), 512 MB RAM, 2 GB available hard disk space
Recommended media weight	60 - 328 g/m ²		Mac OS X v10.2, Mac OS X v10.3, Mac OS X v10.4 or higher; PowerPC G4, G5, or Intel Core Processor; 1 GB RAM; 2 GB available hard disk space
Media handling	Sheetfed, roll feed, automatic cutter		
Maximum paper trays	1		
Paper handling standard/input	Roll loading, single sheet rear tray		
Paper handling standard/output	Basket		
Bottom copy margin	16.75 mm		
Left metric copy margin	5 mm		
Right metric copy margin	5 mm	Embedded web server	✓
Top metric copy margin	5 mm	Electromagnetic compatibility	Compliance for Class B products:EU (EMC Directive), USA (FCC Rules), Canada (DoC), Australia (ACA), New Zealand (MoC), China (CCC), Japan (VCCI); Certified as Class A product: Korea (MIC), Taiwan (BSMI)
Media sizes supported (imperial)	A, B, C, D		
Media thickness (by paper path)	Tray 1: up to 31.5 mil		
Non-printable area roll media (imperial)	0.2 x 0.2 x 0.2 x 0.2 in (borderless on photo papers)	Printer management	HP Web Jetadmin, HP Easy Print Care/Printer Utility
Ports & interfaces		Safety	USA and Canada (CSA certified), EU (LVD and EN60950-1 compliant), Russia (GOST), Singapore (PSB), China (CCC), Argentina (IRAM), Mexico (NYCE)
Ethernet interface type	Gigabit Ethernet		
Ethernet LAN *	✓	Driver updates	Latest driver upgrade information available on http://
USB port *	✓		
USB connector	USB Type-A		
USB 2.0 ports quantity	1	Plug and Play	✓
RJ-45 ports quantity	1	Air pressure	0.69 mmH2O
Performance		Maximum media length (imperial)	66"
Built-in display *	✓	Print quality (black, best quality)	2400 x 1200 DPI
Display	LCD	Print quality (black, draft quality)	600 DPI
Internal memory	256 MB	Print quality (black, normal quality)	600 DPI
Internal storage capacity	40 GB	Ink drop	6 pl (C, M, PK, G), 9 pl (Y, MK)
Storage media	HDD	Control panel	240 x 160 pixels grayscale graphical display with Asian fonts support, 4 direct-access buttons and 7 navigation buttons, 2 bi-colour lights (Ready, Processing, Attention, Error)
Built-in processor	Intel Centrino mobile		
Processor frequency	600 MHz		
Drive device, buffer size	9 MB		
Certification	RoHS, WEEE		
Power			
Power requirements	Input voltage (autoranging) 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz), 2 amp max		
Power consumption (typical)	200 W		
Operational conditions			
Recommended operating temperature range (T-T)	15 - 35 °C		
Operating temperature (T-T)	5 - 40 °C		
Operating relative humidity (H-H)	20 - 80%		
Storage temperature (T-T)	-25 - 55 °C		
Operating temperature (T-T)	59 - 95 °F		
Storage relative humidity (H-H)	0 - 95%		

Operational conditions		Other features	
Operating altitude (imperial)	9842 ft		
System requirements			
Browser supported	Microsoft Internet Explorer (5.0 or higher), Netscape (6.0.1 or higher), Safari for Mac OS (10.3 or higher), Mozilla (1.5 or higher)		
Compatible operating systems	Windows 2000, Windows XP Home, Windows XP Professional, Windows XP Professional x64, Windows Server 2003, Windows Vista Ready; Novell NetWare 5.x, 6.x; Mac OS X v10.2 or higher; Citrix MetaFrame	Technical features	Attain exacting detail—with gray HP Vivera Ink and improved line accuracy to 0.1%, 0.067 mm minimum line width Posters, presentations make a powerful impression—create hard-to-achieve tones with the Three-black ink set. Count on consistent, professional prints with over 20 Original HP media substrates—designed with Vivera Inks. Your work is preserved with the smudge-resistant prints produced by fast-drying HP Vivera Inks. Print CAD & GIS projects quickly and accurately—up to 35 seconds/A1 page—with HP Scalable Printing Technology. Send and print large jobs reliably over the network with in-printer processing architecture. Present your professional best—HP Vivera Inks produce a wide range of colors, from vivid color to soft tones.
		Acoustic power emissions (standby)	44 dB
		Driver LAN	Novell NetWare 3.x/4.x clients
		JetDirect Compatible Products	✓
		Line width minimum	0.002 in
		Maximum print length (imperial)	300 ft; Operating system and application dependent
		Media sizes standard (imperial rolls)	8.5 to 24-in wide sheets, 11 to 24-in rolls
		Non-printable area (imperial cut-sheet)	0.2 x 0.67 x 0.2 x 0.2 in
		Roll maximum input	1
		Print resolution (colour, normal quality)	600 x 600 DPI
		Logistics data	
		Products per pallet	1 pc(s)
		Master (outer) cases per pallet	12 pc(s)



0883585044856



883585044856



0883585044771



883585044771



0883585044795



883585044795



0883585044900



883585044900



0883585044764



883585044764



8835850448632



0883585044863



883585044863



0883585044788



883585044788



0883585044887



883585044887



0883585044870



883585044870



0883585044832



883585044832



0883585044955



883585044955



0883585044948



883585044948



0883585044931



883585044931



0883585044924



883585044924



0883585044825



883585044825



0883585044917



883585044917



0883585044894



883585044894



0883585044962



883585044962



0883585044849



883585044849



0883585044818



883585044818



0883585044801



883585044801

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.